

FORMAT Tec HT Safe Bogen B



FORMAT Tec HT Safe Bogen B

DN/OD 32, 15Grad

Technische Daten und Varianten

Ausführung

Art. Nr.

DN/OD 32, 15Grad

DN/OD 32, 30Grad

DN/OD 32, 45Grad

DN/OD 32, 67,5Grad

DN/OD 32, 87,5Grad

DN/OD 40, 15Grad

DN/OD 40, 30Grad

DN/OD 40, 45Grad

DN/OD 40, 67,5Grad

DN/OD 40, 87,5Grad

DN/OD 50, 15Grad

DN/OD 50, 30Grad

DN/OD 50, 45Grad

DN/OD 50, 67,5Grad

DN/OD 50, 87,5Grad

DN/OD 75, 15Grad

DN/OD 75, 30Grad

DN/OD 75, 45Grad

DN/OD 75, 67,5Grad

DN/OD 75, 87,5Grad

DN/OD 90, 15Grad

DN/OD 90, 30Grad

DN/OD 90, 45Grad

DN/OD 90, 67,5Grad

DN/OD 90, 87,5Grad

DN/OD 110, 15Grad

DN/OD 110, 30Grad

DN/OD 110, 45Grad

DN/OD 110, 67,5Grad

DN/OD 110, 87,5Grad

DN/OD 125, 15Grad

DN/OD 125, 30Grad

DN/OD 125, 45Grad

DN/OD 125, 87,5Grad

DN/OD 160, 15Grad

DN/OD 160, 30Grad

DN/OD 160, 45Grad

DN/OD 160, 87,5Grad
